




Detail A

Detail B




Perforation pattern: Globe G 8/12/50 (ø8/12mm holes cc 50mm)  
 Perforation percentage: 13,1 %  
 Edge type: Solopanel UFF  
 Module: 1200 x 2000 x 12,5mm  
 Visible measure (primary): 1200 x 2000mm  
 External measure (secondary): 1200 x 2000mm  
 A measure: 12,5mm  
 Perforation picture: Full perforated (48 x 80 holes)  
 Fleece: Black

Project: Solopanel UFF, Module 1200x2000, Globe 8/12/50	MDM no.: 611754
Subject:	Scale:
	Date: 2019-10-03
	Rev.:
<small>Knauf Danoline A/S Kløvermarksvej 6, DK-9500 Hobro        T: +45 9657 3000 F: +45 9657 3001        www.knaufdanoline.com - info@knaufdanoline.com</small>	Sign.: NPJ
	Project no.:
	File:




Detail A


Detail B



Perforation pattern:	Globe G6/18 (Ø6mm hole cc 18mm)
Perforation percentage:	8,7 %
Edge type:	Solopanel UFF
Module:	1188 x 1998 x 12,5mm
Visible measure (primary):	1188 x 1998mm
External measure (secondary):	1188 x 1998mm
A measure:	12,5mm
Perforation picture:	Full perforated (66 x 111 holes)
Fleece:	Black


Project:	Solopanel UFF, Module 1188x1998, Globe G6/18	MDM no.:	611752
Subject:		Scale:	
		Date:	2019-10-02
		Rev.:	
		Sign.:	NPJ
		Project no.:	
		File:	

Knauf Danoline A/S Kløvermarksvej 6, DK-9500 Hobro  
T: +45 9657 3000 F: +45 9657 3001  
www.knaufdanoline.com - info@knaufdanoline.com





Detail A

Detail B




Perforation pattern: Globe G8/18 (Ø8mm hole cc 18mm)  
 Perforation percentage: 15,5 %  
 Edge type: Solopanel UFF  
 Module: 1188 x 1998 x 12,5mm  
 Visible measure (primary): 1188 x 1998mm  
 External measure (secondary): 1188 x 1998mm  
 A measure: 12,5mm  
 Perforation picture: Full perforated (66 x 111 holes)  
 Fleece: Black

Project: Solopanel UFF, Module 1188x1998, Globe G8/18	MDM no.: 539617
Subject:	Scale:
	Date: 2019-10-02
	Rev.:
Knauf Danoline A/S Kløvermarksvej 6, DK-9500 Hobro T: +45 9657 3000 F: +45 9657 3001 www.knaufdanoline.com - info@knaufdanoline.com	Sign.: NPJ
	Project no.:
	File:





Detail A

Detail B




Perforation pattern:	Globe G10/23 (Ø10mm hole cc 23mm)
Perforation percentage:	14,8 %
Edge type:	Solopanel UFF
Module:	1196 x 2001 x 12,5mm
Visible measure (primary):	1196 x 2001mm
External measure (secondary):	1196 x 2001mm
A measure:	11,5mm
Perforation picture:	Full perforated (52 x 87 holes)
Fleece:	Black

Project: Solopanel UFF, Module 1196x2001, Globe G10/23	MDM no.: 611774
Subject:	
	Scale:
	Date: 2018-12-20
	Rev.:
	Sign.: NPJ
	Project no.:
Knauf Danoline A/S Kløvermarksvej 6, DK-9500 Hobro T: +45 9657 3000 F: +45 9657 3001 www.knaufdanoline.com - info@knaufdanoline.com	File:




Detail A

Detail B




Perforation pattern:	Globe G12/25 (Ø12mm hole cc 25mm)
Perforation percentage:	18,1 %
Edge type:	Solopanel UFF
Module:	1200 x 2000 x 12,5mm
Visible measure (primary):	1200 x 2000mm
External measure (secondary):	1200 x 2000mm
A measure:	12,5mm
Perforation picture:	Full perforated (48 x 80 holes)
Fleece:	Black

Project: Solopanel UFF, Module 1200x2000, Globe G12/25	MDM no.: 591148
Subject:	Scale:
<b>KNAUF DANOLINE</b>	Date: 2018-12-20
	Rev.:
Knauf Danoline A/S Kløvermarksvej 6, DK-9500 Hobro T: +45 9657 3000 F: +45 9657 3001 www.knaufdanoline.com - info@knaufdanoline.com	Sign.: NPJ
	Project no.:
	File:





Detail A

Detail B




Perforation pattern:	Globe G15/30 (Ø15mm hole cc 30mm)
Perforation percentage:	19,6 %
Edge type:	Solopanel UFF
Module:	1200 x 1980 x 12,5mm
Visible measure (primary):	1200 x 1980mm
External measure (secondary):	1200 x 1980mm
A measure:	12,5mm
Perforation picture:	Full perforated (40 x 66 holes)
Fleece:	Black

Project: Solopanel UFF, Module 1200x1980, Globe G15/30	MDM no.: 612609
Subject:	
	Scale:
	Date: 2019-10-02
	Rev.:
	Sign.: NPJ
	Project no.:
Knauf Danoline A/S Kløvermarksvej 6, DK-9500 Hobro T: +45 9657 3000 F: +45 9657 3001 www.knaufdanoline.com - info@knaufdanoline.com	File:




Detail A


Detail B



Perforation pattern:	Quadril Q8/18 (8x8mm hole cc 18mm)
Perforation percentage:	19,8 %
Edge type:	Solopanel UFF
Module:	1188 x 1998 x 12,5mm
Visible measure (primary):	1188 x 1998mm
External measure (secondary):	1188 x 1998mm
A measure:	12,5mm
Perforation picture:	Full perforated (66 x 111 holes)
Fleece:	Black


Project:	Solopanel UFF, Module 1188x1998, Quadril Q8/18	MDM no.:	539635
Subject:		Scale:	
		Date:	2019-10-02
		Rev.:	
		Sign.:	NPJ
		Project no.:	
		File:	

Knauf Danoline A/S Kløvermarksvej 6, DK-9500 Hobro  
T: +45 9657 3000 F: +45 9657 3001  
www.knaufdanoline.com - info@knaufdanoline.com




Detail A

Detail B



Perforation pattern:	Quadril Q12/25 (12x12mm hole cc 25mm)
Perforation percentage:	23,0 %
Edge type:	Solopanel UFF
Module:	1200 x 2000 x 12,5mm
Visible measure (primary):	1200 x 2000mm
External measure (secondary):	1200 x 2000mm
A measure:	12,5mm
Perforation picture:	Full perforated (48 x 80 holes)
Fleece:	Black

Project: Solopanel UFF, Module 1200x2000, Quadril Q12/25	MDM no.: 539658
Subject:	Scale:
	Date: 2019-10-03
	Rev.:
<small>Knauf Danoline A/S Kløvermarksvej 6, DK-9500 Hobro T: +45 9657 3000 F: +45 9657 3001 www.knaufdanoline.com - info@knaufdanoline.com</small>	Sign.: NPJ
	Project no.:
	File: