




Detail A




Detail B




Detail C




| | |
|-------------------------------|------------------------------|
| Perforation pattern: | Globe G1 (Ø6mm hole cc 15mm) |
| Perforation percentage: | 10,6 % |
| Edge type: | Corridor D |
| Module: | 400 x 1200 x 9,5mm |
| Visible measure (primary): | 400 x 1200mm |
| External measure (secondary): | 400 x 1200mm |
| A measure: | 35mm |
| B measure: | 30mm |
| Perforation picture: | 330 x 1140mm (23 x 77 holes) |


| | |
|--|------------------|
| Project: Corridor D, Module 400x1200, Globe G1 | MDM no.: 213295 |
| Subject: | Scale: |
|  | Date: 2018-07-04 |
| | Rev.: |
| | Sign.: NPJ |
| | Project no.: |
| | File: |
| <small>Knauf Danoline A/S Kløvermarksvej 6, DK-9500 Hobro T: +45 9657 3000 F: +45 9657 3001 www.knaufdanoline.com - info@knaufdanoline.com</small> | |




Detail A



Detail B




Detail C




Perforation pattern: Micro M1 (3x3mm holes cc 8,3mm)
 Perforation percentage: 10,6 %
 Edge type: Corridor D
 Module: 400 x 1800 x 9,5mm
 Visible measure (primary): 400 x 1800mm
 External measure (secondary): 400 x 1800mm
 A measure: 37,5mm
 B measure: 25mm
 Perforation picture: 325 x 1750mm (40 x 211 holes)


| | |
|---|------------------|
| Project: Corridor D, Module 400x1800, Micro M1 | MDM no.: 213302 |
| Subject: | Scale: |
|  | Date: 2018-07-05 |
| | Rev.: |
| | Sign.: NPJ |
| | Project no.: |
| Knauf Danoline A/S Kløvermarksvej 6, DK-9500 Hobro T: +45 9657 3000 F: +45 9657 3001 www.knaufdanoline.com - info@knaufdanoline.com | File: |




Detail A



Detail B



Detail C



| | |
|-------------------------------|---------------------------------|
| Perforation pattern: | Micro M1 (3x3mm holes cc 8,3mm) |
| Perforation percentage: | 10,6 % |
| Edge type: | Corridor D |
| Module: | 400 x 2400 x 9,5mm |
| Visible measure (primary): | 400 x 2400mm |
| External measure (secondary): | 400 x 2400mm |
| A measure: | 37,5mm |
| B measure: | 25mm |
| Perforation picture: | 325 x 2350mm (40 x 283 holes) |

Project: Corridor D, Module 400x2400, Micro M1


Subject:

MDM no.: 213304




Knauf Danoline A/S Kløvermarksvej 6, DK-9500 Hobro
 T: +45 9657 3000 F: +45 9657 3001
 www.knaufdanoline.com - Info@knaufdanoline.com


Scale:
 Date: 2018-07-05
 Rev.:
 Sign.: NPJ
 Project no.:
 File:




Detail A



Detail B




Detail C




| | |
|-------------------------------|------------------------------------|
| Perforation pattern: | Quadril Q1 (12x12mm holes cc 30mm) |
| Perforation percentage: | 14,0 % |
| Edge type: | Corridor D |
| Module: | 400 x 1200 x 9,5mm |
| Visible measure (primary): | 400 x 1200mm |
| External measure (secondary): | 400 x 1200mm |
| A measure: | 35mm |
| B measure: | 30mm |
| Perforation picture: | 330 x 1140mm (12 x 39 holes) |


| | |
|---|------------------|
| Project: Corridor D, Module 400x1200, Quadril Q1 | MDM no.: 213305 |
| Subject: | Scale: |
|  | Date: 2018-07-05 |
| | Rev.: |
| | Sign.: NPJ |
| | Project no.: |
| Knauf Danoline A/S Kløvermarksvej 6, DK-9500 Hobro T: +45 9657 3000 F: +45 9657 3001 www.knaufdanoline.com - info@knaufdanoline.com | File: |




Detail A



Detail B



Detail C



| | |
|-------------------------------|------------------------------------|
| Perforation pattern: | Quadril Q1 (12x12mm holes cc 30mm) |
| Perforation percentage: | 14,2 % |
| Edge type: | Corridor D |
| Module: | 400 x 1800 x 9,5mm |
| Visible measure (primary): | 400 x 1800mm |
| External measure (secondary): | 400 x 1800mm |
| A measure: | 35mm |
| B measure: | 30mm |
| Perforation picture: | 330 x 1740mm (12 x 59 holes) |

Project: Corridor D, Module 400x1800, Quadril Q1

Subject:

MDM no.:

213307



Knauf Danoline A/S Kløvermarksvej 6, DK-9500 Hobro
T: +45 9657 3000 F: +45 9657 3001
www.knaufdanoline.com - info@knaufdanoline.com

Scale:


Date: 2018-07-05

Rev.:


Sign.: NPJ

Project no.:


File:




Detail A



Detail B



Detail C



| | |
|-------------------------------|------------------------------------|
| Perforation pattern: | Quadril Q1 (12x12mm holes cc 30mm) |
| Perforation percentage: | 14,2 % |
| Edge type: | Corridor D |
| Module: | 400 x 2400 x 9,5mm |
| Visible measure (primary): | 400 x 2400mm |
| External measure (secondary): | 400 x 2400mm |
| A measure: | 35mm |
| B measure: | 30mm |
| Perforation picture: | 330 x 2340mm (12 x 79 holes) |

| | |
|---|------------------|
| Project: Corridor D, Module 400x2400, Quadril Q1 | MDM no.: 213309 |
| Subject: | Scale: |
| KNAUF DANOLINE | Date: 2018-07-05 |
| | Rev.: |
| | Sign.: NPJ |
| | Project no.: |
| Knauf Danoline A/S Kløvermarksvej 6, DK-9500 Hobro T: +45 9657 3000 F: +45 9657 3001 www.knaufdanoline.com - info@knaufdanoline.com | File: |